

NCS S E R I E S

EIKO's full line of products certified by JIS protect your vital records from destruction



Passed JIS two hours fire resistant test



Passed TS-15 Tool-proof test

JIS certified product

Paint color [LGW80]



FEATURES

Burglary resistant performance * This tool-proof test belongs to fire resistant safe, not burglary resistant safe.

Passed TS-15 Tool-proof test

Most of safecrackers attempt "Forced open a safe" by using specific tools like crowbar and metal cutting saw etc. for safe door in a short time. The test is conducted on the assumption of the attacks such as cutting hinges and forced-open the door for 15 minutes.


Judgment Safe door can not open and time of attack test is over 15 min.

* Time of attack does not include the time of preparing and changing tools, learning method of attacks and taking a rest.




Special construction for door

The construction lowers the heat from the gap of door and prevents attacks directly to the locking bolt from forced-open the door. It enhances the fire and burglary resistant performance comparing with similar grade of products.



Special construction type



General type

Fire resistant performance

Passed JIS two hours fire resistant test

Passed "Standard heating test" in JIS and designed to maintain the inner temperature less than 177°C for two hours after fire.

Judgment Fire resistant performance for general paper

- The inner temperature limit is less than 177°C.
- Newspaper inside safe does not have appreciable discoloration or deterioration and they are legible.



JIS certified product

Under JIS Mark scheme, the audit and product test for all requirements of fire resistant safes are carried out by Accredited certification Organization. Any products that satisfied the requirements are qualified to display JIS mark and trustworthy.

LOCK



Combination Lock

This mechanical conventional locking system has been widely used all over the world.



Digital Lock

5 personal codes of 1-10 digits can be registered.

Work with batteries [AA battery x 4 pcs.](#)

Security lockout function

The lock will be frozen for a while when attempting wrong personal code more than 5 times.



Installed re-locking device

It will operate automatically if the dial lock is forced-open by tools, and the door will remain firmly closed.

Automatic locking device

This is a device to prevent the locking bolt from coming out until you close the door. When you turn the handle to open, the stopper works and fix the handle. Then, when you close, the door is locked automatically.



Multi Lock



Biometric fingerprint lock, digital lock and i-button key can be available. You can select and use one favorite lock in these locks.

* It is not possible to use two locks at the same time.

Biometric Fingerprint Lock

Up to 10 fingers can be registered

The fingerprint recognition can read a variety of information as sliding method. Up to 10 fingers can be registered.



* Just in case, we recommend registering two fingers each person.

⚠ Caution for fingerprint

In the following case, your fingerprints may not allow to be registered or verified.

- A finger with cut or scar
- Very dry skin
- A wet finger
- Indistinct because of dirt or rubbing

Digital Lock

Register 10 personal codes

10 different codes of 1-10 digits can be registered.

* The lock system is available in case of injured the finger or difficulty to be verified with fingerprint lock.



Security lockout function

The lock will be frozen for a while when attempting wrong personal code more than 5 times.

I-Button Key

Up to 10 different i-button keys can be registered.

Up to 10 different i-button keys can be registered and the door can open with touching i-button reader.



* The lock system is available in case of injured the finger or difficulty to be verified with fingerprint lock.

[OPTION]

i-button key



Other function

Simple operation with sound and light.

Fingerprint reader has LED and electronic keypad has backlights to operate in dark place. Sound and lights will lead you the operation.

Work with batteries [AA battery x 4 pcs.](#)

This lock system works with only 4 pcs of AA batteries. Sound will advise you to replace the batteries.

LINEUP

NCS series **JIS certified product** 

Combination Lock



NCS-10

NCS-20

NCS-30

NCS-40

Digital Lock (5 codes can be registered)



NCS-10ER

NCS-20ER

NCS-30ER

NCS-40ER

Multi Lock



NCS-10YET

NCS-20YET

NCS-30YET

NCS-40YET

Common specifications
 Outside Dimensions:
 W564 x D607 x H700(mm)
 Inside Dimensions:
 W360 x D330 x H475(mm)
 Weight: 190kg Capacity: 56 ℓ
 Accessories: 1 shelf, 1 drawer
 * Inside dimensions for drawer:
 W297 x D260 x H77(mm)

Common specifications
 Outside Dimensions:
 W724 x D657 x H870(mm)
 Inside Dimensions:
 W520 x D380 x H645(mm)
 Weight: 292kg Capacity: 127 ℓ
 Accessories: 2 shelves, 1 drawer
 * Inside dimensions for drawer:
 W459 x D292 x H80(mm)

Common specifications
 Outside Dimensions:
 W724 x D657 x H1,200(mm)
 Inside Dimensions:
 W520 x D380 x H975(mm)
 Weight: 382kg Capacity: 192 ℓ
 Accessories: 2 shelves, 1 drawer
 * Inside dimensions for drawer:
 W459 x D292 x H80(mm)

Common specifications
 Outside Dimensions:
 W724 x D657 x H1,530(mm)
 Inside Dimensions:
 W520 x D380 x H1,305(mm)
 Weight: 465kg Capacity: 257 ℓ
 Accessories: 3 shelves, 1 drawer
 * Inside dimensions for drawer:
 W459 x D292 x H80(mm)