

D-FACE

A totally new safe having the sophisticated design unlike the conventional safe.



FEATURES

■ Burglary resistant performance

Enhance burglary resistant performance with two locking bolts.

Two locking bolts are installed in D-Face series. Our similar grade of products have one locking bolt, so the specification enhances the burglary resistant performance against forced-open the door.

* Comparing with our similar grade of products.
* For the security, the locking bolts are not shown.

■ Fire resistant performance

Passed JIS one hour fire resistant test

Passed "Standard heating test" in JIS and designed to maintain the inner temperature less than 177°C for one hour after fire.

Judgment

Fire resistant performance for general paper

- The inner temperature limit is less than 177°C.
- Newspaper inside safe does not have appreciable discoloration or deterioration and they are legible.



LOCK

* It is not possible to use two locks at the same time.

Biometric Fingerprint Lock

Up to 10 fingers can be registered

The fingerprint recognition can read a variety of information as sliding method. Up to 10 fingers can be registered.

* Just in case, we recommend registering two fingers each person.



Caution for fingerprint

In the following case, your fingerprints may not allow to be registered or verified.

- A finger with cut or scar
- Indistinct because of dirt or rubbing
- Very dry skin
- A slender finger or difficult to read fingerprint
- A wet finger

The system may not be verified because the fingerprint lock is dependent on your constitution. We recommend you to check the availability once before purchasing the product.

Digital Lock

One personal code can be registered

One personal code of 1-10 digits can be registered and changed. The lock system is available in case of injured the finger or difficulty to be verified with fingerprint lock.



Security lockout function

For the security, the lock will be frozen for 15 minutes when attempting wrong personal code more than 5 times.

OTHER


Door stopper

The door stopper is equipped with the bottom of safe and the function protects furniture or wall as well as the safe door from damage.


Built-in cylinder lock

Cylinder lock for double lock system.


The cylinder lock is built in front panel as double lock system. It is recommended using in case of being absent for long period of time. Customer can select Key lock + Fingerprint lock or Digital lock that also enhances the security.



Remove cylinder cap covered with keyhole.



Insert key into cylinder lock and turn to right for open or left for close.



LINEUP

D1 Design Type

Wind and waves



DFS1-FE



Attached 2 pcs of keys
[AA battery x 4 pcs.](#)

DFS1-E



Attached 2 pcs of keys
[AA battery x 4 pcs.](#)



Biometric Fingerprint Lock



Digital Lock

Outside Dimensions : W484×D467×H372 (mm)
 Inside Dimensions : W354×D257×H214 (mm)
 Weight : 58kg / Capacity : 19.5 ℓ
 Accessories : 1 tray, 4 AA batteries
 * Inside dimensions for tray : W344×D214×H42 (mm)



D2 Design Type

Grain of wood



DFS2-FE




Attached 2 pcs of keys
[AA battery x 4 pcs.](#)


DFS2-E



Attached 2 pcs of keys
[AA battery x 4 pcs.](#)



Biometric Fingerprint Lock



Digital Lock

Outside Dimensions : W484×D460.5×H372 (mm)
 Inside Dimensions : W354×D257×H214 (mm)
 Weight : 58kg / Capacity : 19.5 ℓ
 Accessories : 1 tray, 4 AA batteries
 * Inside dimensions for tray : W344×D214×H42 (mm)

