

MEISTER

CONCEALED HINGE TYPE DOOR

This series have been developed through long period of strenuous work by our research and field engineers. In this sense, this series are MEISTER, we call.




FEATURES

■ Burglary resistant performance

Concealed hinge type door

There are no door frames or hinges with flat door. The structure is designed to lower the heat from the gap of door and prevents attacks directly to the locking bolt from forced-open the door.



Enhance burglary resistant performance with two locking bolts.

Two locking bolts are installed in MEISTER series. Our similar grade of products have one locking bolt, so the specification enhances the burglary resistant performance against forced-open the door.

* Comparing with our similar grade of products.
* For the security, the locking bolts are not shown.

■ Fire resistant performance

Passed JIS one hour fire resistant test

Passed "Standard heating test" in JIS and designed to maintain the inner temperature less than 177°C for one hour after fire.

Judgment

Fire resistant performance for general paper

- The inner temperature limit is less than **177°C**.
- Newspaper inside safe does not have appreciable discoloration or deterioration and they are legible.



LOCK



Build-in cylinder lock (for all types)

Attached 2 pcs of keys

Enhance security with double locking

The cylinder lock is built in facial panel as double lock system. Customer can select the key lock + Fingerprint lock or Digital lock that enhances the security.

Restrict users

Using the built-in cylinder lock make it possible to restrict users who know personal code or register fingerprint.



Automatic locking device for all models

The device keeps locking bolts retracted when door is in open position. It prevents damage to safe body and bolt work mechanism caused by accidental door closure with bolts extended. MEISTER is equipped with the device that is normally installed in Commercial Safe only.



Combination Lock

This mechanical conventional locking system has been widely used all over the world.




Digital Lock

One personal code can be registered

One personal code of 1-10 digits can be registered and changed.

Security lockout function

For the security, the lock will be frozen for 15 minutes when attempting wrong personal code more than 5 times.



Biometric Fingerprint Lock

Up to 10 fingers can be registered

The fingerprint recognition can read a variety of information as sliding method. Up to 10 fingers can be registered.

* Just in case, we recommend registering two fingers each person.

LINEUP

OSS type

This model is standard size for home safes with tray where you can put small accessories like credit cards, stamp, etc.



Outside Dimensions : W484×D489×H372 (mm)
 Inside Dimensions : W354×D258×H214 (mm)
 Weight : 60kg / Capacity : 19.5 ℓ
 Accessories : 1 tray
 * Inside dimensions for tray : W344×D214×H42 (mm)

Automatic locking device

ONS type

A4 sized file like albums or important documents can be kept lengthwise under 2 metal trays.



Outside Dimensions : W330×D513×H603 (mm)
 Inside Dimensions : W240×D321×H485 (mm)
 Weight : 67kg / Capacity : 37 ℓ
 Accessories : 2 trays (L) / (S)
 * Inside dimensions for tray (L) : W230×D310×H83 (mm)
 (S) : W230×D310×H46 (mm)

Automatic locking device

OSD type

It is recommended for any stores and offices.

A4 sized file can be kept lengthwise and more valuable items can be kept in the drawer with key lock.



Outside Dimensions : W457×D567×H663 (mm)
 Inside Dimensions : W327×D336×H472 (mm)
 Weight : 110kg / Capacity : 51.5 ℓ
 Accessories : 1 shelf, 1 drawer
 * Inside dimensions for drawer : W297×D260×H77 (mm)

Automatic locking device

Combination Lock



OSS-D



ONS-D



OSD-D

Digital Lock

Accessories : [AA battery x 4 pcs.](#)



OSS-E



ONS-E



OSD-E

Biometric Fingerprint Lock

Accessories : [AA battery x 4 pcs.](#)



OSS-F



ONS-F



OSD-F